

Evolution

The High Performance Canopy System









The High Performance Canopy System

The Evolution Canopy is an exciting new system, encompassing a modern design with clean sight lines providing ease of installation. In addition, its high structural performance ensures this system is an ideal choice for domestic, DIY and commercial applications.

This highly versatile system offers a solution for many applications such as:

- © gev tsvxw
- © gszivih wiexmrk eview
- © gszivih tpe} eview
- © tsvgliw
- © texms gerstmiw
- © gevezer wlipxivw
- © g}gpi wlipxivw
- © wqsomrk wlipxivw
- © {epo {e} gszivw

The system can be supplied in modular kit format (please see size matrix) as {ipp ew fiwtsoi wm~iw erh gsr,,kyvexmsrw2

Wxerhevh Wm~i Qexvm|

WIDTHS		2.5m	3n	n	3.5m	4m	4.5	īm	5m	5.5m	6r	n	7m
PROJECTION	1S	1600mm		2100mm		2600mm		3100mm		3600mm		4100mm	

Jsv wtigm, g rsr1wxerhevh tvsnigxmsrw tpiewi gsrxegx }syv psgep hmwxvmfyxsv jsv technical support.

Xli omxw evi wyttpmih {mxl epp xli "|mrkw erh wieperxw viuymvih jsv e wxerhevh mrwxeppexmsr erh epws mrgpyhiw e gsqtvilirwmzi "xxmrk kymhi2



Wall Plate



Glazing Bar



Eaves Beam



Sheet End Trim



Canopy Post/ Foot

System Features

- The system is manufactured in maintenance free powder coated aluminium in white as standard with any RAL no. colour available at extra cost and lead time.
- The canopy is glazed with 16mm triple wall UV stabilised polycarbonate sheeting offering greater wilmfmpmx mr gerst hiwmkr (mxl irlergih wxvirkxl erh rigidity, available in clear, bronze or opal tints.



- © The standard canopy range is available on a 5 working day lead time.
- The eaves beam cleverly doubles as an integral box gutter utilising the support posts as down pipes with the rain water exiting through the variable height post feet.



- The system can accommodate pitches from 5 degrees to 20 degrees, on wxerhevh qshypev omxw xli qe|mqyq tvsnigxmsr mw eglmizih ex e tmxgl sj 9 degrees.
- © Ew {ipp ew xli wxerhevh pier xss gsr,kyvexmsr xli w}wxiq ger fi wtigm,ih ew a gable roof design with the wall plates bolted back to back to form a ridge supported between two host walls or as a fee standing option supported on posts.





For further information please contact:



1984 Established

Unit 8, Brookhouse Business Park,
Hadleigh Road Industrial Estate, Ipswich, Suffolk IP2 0EF

Telephone 01473 288690 Email: eamon@falconwindows.com

Exclusively manufactured by:
Molan UK Ltd,
Unit 5, Boston Road, Heckington, Sleaford, Lincs, NG34 9JD

Email: canopies@molan-uk.com