



VERANDAH

PART OF OUR
OUTDOOR LIVING RANGE
COLLECTION

THE VERANDAH SYSTEM

Our fully bespoke Verandah solution, part of our Outdoor Living range, can be used to create a stunning, contemporary patio area allowing homeowners to enjoy their garden all year round.

It can also be used on driveways as a car port or anywhere else outside where the homeowner needs protection from outdoor elements.

Available in any colour, the Verandah is a must have product for anyone wanting to enjoy their outdoor space throughout the year.

“ It is hard to deny that the Verandah has genuine appeal. It is perhaps the best looking glazed canopy solution on the market right now.

Mr Grafton-Holt, Wakefield

”



VERANDAH IN COLOUR

The Verandah is now available in any RAL colour allowing homeowners to add a splash of colour to their outdoor living space.

The Verandah is now available in any colour to bring any garden space to life. This allows for the Verandah to have further appeal for more commercial applications including bars, restaurants and even hospitals and schools where colours can be matched to brands and corporate identity.

Popular colours include dark green, grey and blue yet regardless of colour, are all fully guaranteed for 10 years.

The Verandah is ideal for walkways, entrance ways and outdoor eating areas where shelter from outdoor elements is required. Every Verandah is bespoke and can be tailored to fit your specific needs.





STRUCTURE & OPTIONS



Double Glazed Glass Units or Polycarbonate – (optional colour tints available)



FOOT OPTIONS



Please note:

Decorative Foot and Tall Collar options are optional extras.
Foot option 3 is not available for fixing at ground level (exposed base fixing plate)
Decorative Foot and Tall Collar not available for square post.

VERANDAH FEATURES

- Traditional aesthetics – post, column covers and brackets, with decorative casting to column base.
- Round or square posts available (foot options available with round posts only).
- Available as a straight lean to, splayed lean to and 'L' shapes.
- Base fixing plate can be hidden beneath ground level or above (dependant upon application) *Please note installer is responsible to ensure that the base plate is secured to a suitable substrate.*
- Gutter system option or 250mm overhang detail option (no gutter).
- Minimum roof pitch 5° (7.5° as standard).
- Maximum roof pitch 30°.
- Maximum projection 4m (larger projections available on request).
- Max. 3m between support post and 1m eaves cantilever (from post centre).
- Built in tolerance for post height levelling / fixing.
- Available in any RAL colour with either black crackle or white as standard.
- Partially assembled for ease of handling and installation on site.
- Available with traditional Quantal aluminium top caps or contemporary Ultraframe top caps.
- Available with either 24mm double glazed units or 25mm polycarbonate.
- Easy installation.
- No minimum order and free UK delivery.





PREFIX (UK) Ltd

Systems House | Cunliffe Road | Blackburn
Lancashire | BB1 5UA
T: 01254 871800

PREFIX (SOUTH) Ltd

Unit 16 Barn Way | Lodge Farm Ind. Estate
East Dunston | Northampton | NN5 7UW
T: 01604 750212

PREFIX (SOUTH WEST) Ltd

Unit 7 Ystrad Trade Park | Ystrad Road
Fforestfach | Swansea | SA5 4JB
T: 01792 588254

PAVILION SYSTEMS Ltd

Unit F2 Ford Airfield Ind. Estate
Ford | Arundel | West Sussex | BN18 0HY
T: 01903 739440

W: www.prefixsystems.co.uk

E: enquiries@prefixsystems.co.uk

 @prefixsystems

 Prefix

 @prefixsystems